

KPC2

Compact Digital Signage Player



Specifications

System	Motherboard	F38
	Processor	Intel® Elkhart Lake J6412
	Memory	4GB DDR4
	Storage	128GB eMMC
Expansion	microSD Card Slot	1 <i>(*For optimal performance, please use microSD UHS-I U1 or Class 10)</i>
I/O Ports	USB-Type A	1 x USB2.0 3 x USB3.0
	USB-Type C	1 x USB3.0 full functioned (DP / PD 5V/3A, 12V/1.25A)
	Serial Port	1x DB9 (Powered RS232) (default: 0V; 5V, 12V)
	LAN	1 x RJ45
	HDMI	1
	Display Port	1
	DC Jack	1 x 2pin
Audio	Mic-in/Line-out	1
Power	Power Adapter	36W / 12V
Communication	WLAN + BT	Wi-Fi 6, BT5.2 (Option)
Certificate	EMC & Safety	FCC Class A, CE Mark, LVD
Environment	Operating Temperature	0°C ~ 35°C (32°F ~ 95°F)
	Storage Temperature	-20°C ~ 60°C (-4°F ~ 140°F)
	Humidity	20% ~ 85% RH non-condensing
Dimensions	W x H x D	120 x 120 x 23mm
Mounting	VESA Mount	75 x 75, 100 x 100
OS Supported		Windows 10 IoT Enterprise, Linux, Android 13.0

※Product specifications and data are subject to change without notice.


Unlock the Potential of Your Digital Transformation

Experience the perfect blend of compact design and powerful performance. Engineered with **Intel® Elkhart Lake J6412** processor, KPC2 ensures an unrivaled computing experience that exceeds expectations.

Enjoy seamless versatility with support for Windows, Linux and Android. Choose the OS that aligns best with your unique requirements.



A large, white, square-shaped Intel chip is shown in the foreground, resting on a white printed circuit board (PCB). The word "intel" is printed in a white, lowercase, sans-serif font on the chip's surface. The background shows the intricate circuitry of the PCB, including various components and traces.




Expand Your Storage Possibilities

KPC2 comes equipped with 4GB DDR4 and 64GB eMMC storage, providing substantial capacity for all your essential data. But that's not all – we've gone the extra mile by reserving a microSD* card slot, offering you the freedom to expand your storage and explore limitless application possibilities.

**For optimal performance, please use microSD UHS-I U1 or Class 10.*

Versatile VESA Mounting

Enjoy the freedom to mount KPC2 anywhere with its built-in universal VESA mount (75mm and 100mm). Securely cater to your specific needs and explore limitless placement possibilities.



Seamless Connections

KPC2 comes equipped with a versatile array of I/O ports, enabling seamless connections to various devices. From HDMI and DisplayPort for vibrant displays to USB and LAN ports for data transfer and networking, KPC2 empowers you to unlock the potential of your digital ecosystem.

